




Flaps & Mops

Hicut Larger Dia Flap Wheels



- Higher longevity
- Specialized in automatic polishing & finishing applications

OD: 250, 300, 350 mm
Thickness: 15 to 100 mm
Bore: 127.5, 181, 50, 36, 25.4 mm
Grits available - 36 to 1200

Pedestal Grinder

SS Tubes, Auto components, General | Close coat | (Alo)
industrial applications

Jawan XF569 Larger Dia Flap Wheels



- Specialized in manual polishing & finishing applications
- Preferred in utensil & hardware

OD: 250, 300, 350 mm
Thickness: 25, 40, 50 mm
Grits available - 60 to 600

Pedestal Grinder

SS utensils, Auto components, General engineering | Close coat | (Alo)

Cutfast Spindle Mops



- Higher productivity & longevity
- Especially for Intricate areas

OD: 20 to 80 mm
Thickness: 15 to 75 mm
Spindle Dia: 6 mm
Shank Length: 40 mm
Grits available - 36 to 600

Die Grinder

Steel, Stainless steel, Aluminium, Brass | Close coat | (Alo)

Supercut NXT Bore Mops



- Suitable for general purpose applications

OD: 150, 200 mm
Thickness: 13, 25, 40, 50 mm
Bore: 16mm wooden, 31.75 mm
Grits available: 36 - 600

Steel, Stainless steel | Close coat | (Alo)

Belts

XS561 & YS562 Ajax Supreme Belts



Steel, CRV Steel, Aluminium, Brass | Close coat | (Alo)

YS575 SiC Supreme Belts



Close coat | (SiC)

YS591, YS592, YS593 Ceramic Belts



Steel Alloys with High Ni-Co-Cr content, Inconel, Stainless Steel, Aluminium | Close coat | (Cer)

ZS583 Premium Zirconia Belts



Stainless Steel, CRV Steel, Steel (MCS), Aluminium | Close coat | (Zr)

XG542 (Jawan) & XG861 (Ajax) RIC Belts



Steel, CRV, Aluminium, Brass | Close coat | (Alo)

Non Woven

Ajax DX13 & CUMITEX Super Hand Pads



Steel, Stainless Steel, Aluminium, Brass | (Alo)

Ajax CX01 Hand Pads



Steel, Stainless steel, Aluminium, Brass | (Alo)

Ajax CX06 (Green) & CX05 (Maroon) Hand Pads



Steel, Stainless Steel, Aluminium, Brass | (Alo)

Samurai & Cumitex Unitised Disc



Burn free surface blending
Higher longevity
100 x 13 x 16 - Cumitex
100 x 15 x 16 - Samurai

1SVF, 3SVF, 5SVF, 8SVF
Stainless Steel, Steel (MCS), Aluminium | Dip | Alo

Samurai & Cumiflex Unitised Wheels



Superior surface blending
Higher longevity
OD=150, 200, 250 mm*, 300mm*, 350mm*
Thickness= 13mm*, 25, 50, 50mm
Bore= 16mm, 50mm

1SVF, 3SVF, 5SVF, 8SVF
Stainless Steel, Steel (MCS), Aluminium | Dip | (Alo)

Cumitex Polishing Wheels



Satin surface finish
Higher Longevity
OD=150, 200, 250, 300, 350 mm
Thickness= 13, 25, 50, 65, 75 mm
Bore= 16, 50 mm

1SVF, 3SVF, 5SVF, 8SVF
Steel, Stainless Steel, Aluminium, Brass | Dip | SIC

Disc

Alpha Supreme Fibre disc



Stiff backing for tough applications
Long life
High material removal rate
4", 5", 7"

24, 36, 60, 80, 120
M.S, Sheet Metal, Non ferrous | Close coat | (Alo)

Tezz Value+ Flap Disc



Durable
Effective grinding
Uniform wear pattern
Value for money
4"
60, 80, 120
Steel, MS | Semi Open | (Alo)

Emery Cloth Blue Drill Roll & Sheet



Tough cloth backing with emery grains for de-rusting and finishing of metals by hand

Roll
Coarse, Medium, Fine and Extra Fine
38 to 305 mm


Sheet



Extra Coarse, Coarse, Medium, Fine, Extra Fine and Super fine
230 x 280 mm

Metal | (Emery)

Abrasive Solutions for General Engineering





Tool Room (White, Pink, Brown, CGC) & Off hand

ROMAX White Tool Room

- Better productivity
- Less dressing
- Universal performance throughout dia

Dia: 150-200 mm
Bore Dia: 31.75, 50.8 mm
Thickness: 6-25 mm
#46, #54, #60, #80
Surface grinder

Hard and Soft metals - D2, EN, MS | Type 1 | (AA)

Classic - White Tool Room

- Better finish
- Smooth cutting

Dia: 150-200 mm
Bore Dia: 31.75, 50.8 mm
Thickness: 6-25 mm
#46, #54, #60
Surface grinder

Hard and Soft metals - D2, EN, MS | Type 1 | (AA)

INK Tool Room

- Better performance
- Wide availability

Dia: 150-200 mm
Bore Dia: 31.75, 50.8 mm
Thickness: 6-25 mm
#46, #54, #60
Surface grinder

Alloy/Tool/Hi Chrom steel | Type 1 | (RA/RAA)



Centerless, Cylindrical, Crank

GC / CGC



Plain Alo - Extra Coarse, Coarse, Medium, Fine



Large Off Hand Wheels



Cast Iron, Low Carbon Steel 18" for Handtool Industry | Type 1 | (Alo)

PROMAX Centerless



Hard and Soft metals - D2, EN, MS | Type 1, 5, 7 | (Alo)

Classic - Centerless



Hard and Soft metals - D2, EN, MS | Type 1, 5, 7 | (Alo)

Classic - Cylindrical



Hard and soft metals, Non-ferrous | Type 1, 5 | (Brown Alo)

Crank Wheel



Forged steel | Type 1 | (Alo)



Combination Stone & Valve Lapping Compound & Dressing Sticks

Sandmaster Combination Stone



Chisel, Knives & others | Rectangular shape | (SiC)

Combination Stone 109



Provides both rough and finish for chisel sharpening
Dia: 150 x 50 x 25 mm
Grit: C100 Coarse, C220 Fine
Knife sharpening, Chisels sharpening, Carving tools, Leather knife sharpening | Rectangular shape | (SiC)

Valve Lapping Compound



Better finish and output
LN 363, 362, 361, 360 - Coarse, Medium, Fine
Valve lapping machine
Ductile iron alloys, Aluminium-copper and bronze alloys | 400 GM Container | (SiC)

Dressing Sticks



Good finish and life
150 25 Square
Grit: C20, C24, C36
Bond: VVR
Hardness: S-Q
Ferrous, non-ferrous | (SiC)



CARBORUNDUM UNIVERSAL LIMITED

3rd Floor, Parry House, No.43, Moore Street,
Chennai 600 001, India

Tel: +91 44 3000 6194 (Direct), Fax: +91 44 3000 6191

Talk to our local CUMI Distributor
or CUMI sales Executives on WhatsApp

For more information visit our website or email us
www.cumiabrasives.com
email@cumi.murugappa.com



Connect with
CUMI on WhatsApp



For Orders, Scan and Download
CUMI Connect App